

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8732	345/418-427.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/12 07:17
L2	0	1 and debug&4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/12 07:17
L3	0	1 and debug&5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/12 07:17
L4	97	"render target view" "depth buffer view" "wireframe view"	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/12 07:18
L5	16	1 and L4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/12 07:18
L6	318	(pixel vertex) adj shader with (processor card chip board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/12 07:19
L7	27	(pixel vertex) adj shader with (processor card chip board) with (identif\$5 modif\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/12 07:19
S1	0	10/667951.app.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 08:13
S2	2	("5862381" "6631423"). pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:14
S3	3	("5862381" "6631423" "6055560").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 08:15

S4	0	10/667951.app.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/11/05 09:13
S5	29	((video adj card) (graphics adj processor) (gpu)) with trace	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/05 14:19
S6	250	((video adj card) (graphics adj processor) (gpu)) with trac\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/05 14:19
S7	18	((video adj card) (graphics adj processor) (gpu)) with (debug\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 07:28
S8	28	((video adj card) (graphics adj process\$4) (gpu)) with (debug\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/06 07:28
S9	37	"5097411" "5315696" "5315698" "5491813" "5600768" "5701483" "5715459" "5772297" "5781797" "5793386" "5818469" "5821950" "5856829" "5861893" "5883642" "5896139" "5936641" "5982399" "5990911" "6046747" "6047123" "6057847" "6084584" "6088701" "6184908" "6229553" "6232981" "6279099" "6337689" "6348919" "6362825" "6421738" "6469704").PN. OR ("6631423").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/06 07:54
S10	97	"render target view" "depth buffer view" "wireframe view"	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/06 09:59
S11	1	"render target view" and "depth buffer view" and "wireframe view"	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/06 09:59

S12	1	"render target view" and "depth buffer view" and "wireframe view"	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/06 09:59
S13	1	"depth buffer view" and "wireframe view"	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/06 10:00
S14	2	"render target view"	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/06 10:00
S15	92	"wireframe view"	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/06 10:00
S16	5	"depth buffer view"	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/06 12:33
S17	219	"depth buffer" with (view \$4 displa\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/06 12:57
S18	11	"depth buffer" with (view \$4 displa\$4) and debug \$4	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/06 12:57
S19	14	"depth buffer" with (view \$4 displa\$4) with window	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/06 14:04
S20	9	("z-buffer") with (view\$4 displa\$4) with window	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/06 14:15
S21	1	"7095416".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/06 14:20
S22	0	"20006631423".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/06 14:25
S23	0	"006631423".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/06 14:25
S24	1	"6631423".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/06 14:26
S25	1	"20040003370".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/06 14:27
S26	3418	test\$4 with (select\$4 modif\$5 chang\$4) with repla\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 07:28
S27	2238	cad with view	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 07:29
S28	80	cad with view with window	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 07:30

S29	33	cad with view with mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 07:31
S30	662	"3D" with view with mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 07:32
S31	12	"3D" with view with mode with depth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 07:32
S32	2554	shader	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 07:58
S33	147	shader with view	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 07:58
S34	17	shader with view with depth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 07:58
S35	169	test\$4 with (repla\$5 execut\$4) same select\$4 same modif\$5 same chang\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 08:30
S36	498	test\$4 with (repla\$5 execut\$4) with trace	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 08:33
S37	498	test\$4 with (repla\$5 execut\$4) with trace with trace	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 08:33
S38	33	test\$4 with (repla\$5 execut\$4) with trace with select\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 08:34

S39	853	debug\$5 with (repla\$5 execut\$4) with trace	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 08:38
S40	13	debug\$5 with (repla\$5 execut\$4) with trace with (modif\$4 chang\$4) with instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 08:38
S41	18774	((debug\$5 test\$4) same ((modif\$5 select\$4) with (instruction data event)) same (set\$4 restor\$4 with state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 08:43
S42	1632	((debug\$5 test\$4) same ((modif\$5 select\$4) with (instruction data event)) same ((set\$4 restor\$4) with state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 08:44
S43	203	((debug\$5 test\$4) same ((modif\$5 select\$4) with (instruction data event)) same ((set\$4 restor\$4) with state with (execut \$5 run\$4 (re adj run \$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 08:45
S44	4234	717/124-135.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 08:46
S45	16	S43 and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 08:46
S46	939	717/125,130.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 09:58
S47	176	717/125,130.ccls. and chang\$4 with instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 09:59
S48	112	S47 and @ay< "2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 09:59

S49	45	S46 and restor\$4 with state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 10:22
S50	2	S46 and restor\$4 with processor with state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 10:22
S51	2	S46 and (restor\$4 with state) same (modif\$4 with (instruction code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 10:24
S52	176	717/125,130.ccls. and chang\$4 with instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 13:52
S53	0	S52 and view with ((best adj practices) recommend \$4 recommendation) with highlight	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 13:52
S54	4234	717/124-135.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 13:53
S55	0	S54 and view with ((best adj practices) recommend \$4 recommendation) with highlight	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 13:53
S56	112	((best adj practices) recommend\$4 recommendation) with highlight	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 13:53
S57	1	S56 and S54	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 13:53

S58	22191	(window view highlight \$4) with ((best adj practices) recommend\$4 recommendation suggest \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 13:55
S59	21	S58 and S54	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 13:55
S60	0	10/667951.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 13:57
S61	54	(window view highlight \$4) with ((best adj practices) recommend\$4 recommendation suggest \$5) with processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 14:15
S62	1	overdraw adj view	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 14:18
S63	2508	pixel with depth with value	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 15:20
S64	607	pixel with depth with value with (view\$4 displa \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/09 15:21
S65	6194	717/106-109,124-135.ccls	US-PGPUB; USPAT; EPO, JPO, DERWENT; IBM_TDB	OR	ON	2009/02/09 15:22
S66	1	S64 and S65	US-PGPUB; USPAT; EPO, JPO, DERWENT; IBM_TDB	OR	ON	2009/02/09 15:22

S67	2	"7322889".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/09 15:25
S68	4243	717/124-135.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 07:17
S69	16	S68 and (warn\$4) with (problem with error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 07:17
S70	420	shader adj program	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/11 08:12
S71	483943	(pixel vertex) shader adj program	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/11 08:12
S72	152	(pixel vertex) adj shader adj program	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/11 08:12
S73	3	shader adj program with identif	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/11 08:12
S74	47	shader adj program with (identif\$4 indicat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/11 08:13
S75	7	(shader adj program with (identif\$4 indicat \$5)) same register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/11 08:14

2/ 12/ 2009 8:11:29 AM

C:\Documents and Settings\jmittell\My Documents\EAST\Workspaces\10-667,951.wsp